

CALCIUM GLUCONATE (INJECTABLE)

| Sr. | TESTS | | SPECIFICATION | | |
|-----|---------------------------------------|------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| No. | | | IP | USP | ВР |
| 1. | Description | | White crystalline powder or granules | White, crystalline, odorless, tasteless granules or powder | White or almost white, crystalline or granular powder |
| 2. | Solubility | | Freely soluble in boiling water; sparingly soluble in water; insoluble in ethanol (95%) | Freely soluble in boiling water; spari- ngly (and slowly) soluble in water; insoluble in alcohol | Sparingly soluble in water, freely soluble in boiling water |
| 3. | Assay (w/w) | | 98.5 %-102.0% | 98.5 %-102.0% | 99.0 %-101.0% |
| 4. | Identification | | As per IP | As per USP | As per BP |
| 5. | Chloride | | NMT 250 ppm | NMT 0.005% | MAX 50 ppm |
| 6. | pH | | | | 6.4 to 8.3 |
| 7. | Heavy Metals | | NMT 20 ppm | NMT 10 ppm | MAX 10 ppm |
| 8. | Phosphates | | | | MAX 100 ppm |
| 9. | Sulphate | | NMT 150 ppm | NMT 0.005% | MAX 50 ppm |
| 10. | Arsenic | | NMT 2 ppm | NMT 3 ppm | |
| 11. | Iron | | | NMT 5 ppm | MAX 5 ppm |
| 12. | Loss On Drying | | | NMT 1.0% | |
| 13. | Appearance of Solution | | As per IP | | As per BP |
| 14. | Acidity & Alkalinity | | As per IP | | |
| 15. | Limit of Magnesium & Alkali Metals | | | NMT 0.4% | MAX 0.4% |
| 16. | Limit of Phosphate | | | NMT 0.01% | |
| 17. | Limit of Oxalate | | | NMT 0.01% | MAX 100 ppm |
| 18. | Reducing Substance | | | NMT 1.0% | |
| 19. | Organic impurity& boric acid | | | | As per BP |
| 20. | Sucrose & reducing sugar | | As per IP | | As per BP |
| 21. | Microbial Contamination | TAMC | | | 10 ² CFU/g |
| 22. | Bacterial endotoxins | | | | Less than 167 IU/g |